



Low Energy Operators

HA7 / HA8 / HA9 / SS8200

Your global partner
for entrance solutions

Operators for your every need

The Record brand has been taking doors from manual to automatic in North America for over 25 years with its line of low energy swing door operators that are competitively priced, durable, low maintenance and simple to install.

All Record swing operators feature electromechanical design for simple, dependable operation, easy manual door opening, trouble-free installation and ADA compliance, and meet ANSI/BHMA 156.19 standards and are UL10C approved.

Swing operators are perfect for retrofit or new-build applications in moderate- to high-traffic locations. Whether you need a simple, dependable operator for a touchless restroom or an operator built to withstand the abuse of university students, Record has something to meet every application.

Standard Features

				
	HA7	HA8	HA9	SS8200
Header Size	1.85" x 3.46"	4.75" x 5"	4.125" x 5.125"	4.5" x 5.5"
Custom Widths Available		•	•	•
Non-handed	•	•	•	•
Surface Mounted	•	•	•	•
Exterior Doors	•	•	•	•
Interior Doors	•	•	•	•
Single Doors	•	•	•	•
Pairs of Doors		•	•	•
ANSI/BHMA 156.19	•	•	•	•
Electric-strike Integration	•	•	•	•
Stack Pressure Compensation	•		•	•
Fire Rated (UL10C)	•	•	•	•
Power Assist	•		•	•
Obstacle Detection Opening	•	•	•	•
Obstacle Detection Closing	•		•	•
Power Boost Close	•		•	•
Push & Go	•		•	•
Automatic Learn Cycle	•		•	•
SimpleLynk Display				•
Warranty	•	•	•	•

Activation Devices

All Record low energy operators are compatible with a variety of activation devices.

- » Wave plates for a touchless experience
- » Push plates
- » Handheld transmitters

Record HA7

Slim, Full-featured Operator

Aesthetics and innovation combine in the Record HA7.

The slim header blends seamlessly with most standard door frames and fits into areas where standard operators can't. Its quick installation and mobile app setup make it an ideal choice for offices, restrooms and assisted living facilities.

Key Features

1.85" x 3.46" header
Non-handed
Electrician not required with optional power adaptor kit
Power Assist
Push and Go
Parking (multiple-point hold open)
Privacy Function (patent pending)
Ratchet Function
Electric-strike Integration (no external relays required)
UL325/UL10C certified
For use on single doors
Available in push or pull, clear or dark bronze



For
Moderate
Traffic



Explore the HA7
Scan to view the complete installation video, view additional details, and access resources.

Record HA8

Low-profile Operator

The Record HA8 is a cost-effective, non-handed swing door operator designed for reliable performance and simplified installation.

Built for moderate to high-traffic applications, it delivers durable, consistent operation without unnecessary complexity. Available in multiple finishes, it supports single, pair, and dual egress configurations and is offered as part of the EZ36 Kit.



For
Moderate
to High
Traffic

Key Features

4.75" x 5" header
Non-handed operator
Opens easily during manual operation
Quiet operation
Permanent lubrication means maintenance free
Easy installation (average install time is 1½ hours)
UL325/UL10C certified
Single or pair doors
Available in push or pull, clear, dark bronze or black



Explore the HA8
Scan to view helpful videos, installation manual, and additional resources.



Visit recorddoors.us for additional product info including drawing files, installation manuals, and videos.

Record HA9

Low-profile, Full-featured Operator

For
Moderate
to High
Traffic

The Record HA9 is an extremely quiet low energy door operator with a low-profile header that comes jam-packed with standard features.

Perfect for moderate- to high-traffic locations. The Record HA9 is also available in the EZ36 Kit, which comes with everything you need to automate a standard 36" door in one easy box.

Key Features

4.125" x 5.125" header
Non-handed
Easy manual door operation
Power Assist
Push & Go
One-touch Teach Button
Plug-n-play design for fast, trouble-free installation
Stack Pressure Compensation
Electric-strike Integration
Sync cables are included with pair operators to ensure doors close simultaneously or in proper order
UL325/UL10C certified
Single or pair doors
Available in push or pull, clear or dark bronze



Explore the HA9
Watch the step-by-step installation video and explore additional product information, manuals, and support materials.

Record SS8200

Low-profile, Full-featured Operator

For High Traffic

The Record SS8200 is a non-handed, low energy operator that can be used in almost any interior or exterior application.

The SimpleLynk communications display not only allows the installer to set up and program the door on-site, but also provides visual feedback of the door status.

Key Features

4.5" x 5.5" header
Non-handed
Single, pairs or double egress doors
Doors that require up to 120° door swing
Push-to-start applications eliminate the need for additional activation accessories and complex field wiring
Latch assist ensures closing in areas with heavy stack conditions
SimpleLynk display standard
Breakaway adapter to prevent operator or arm damage when abused
Various arm options available
Available in clear or dark bronze



Explore the SS8200
Scan to access helpful product videos, a complete list of features, and additional support materials.

Record EZ36 Kits

Low Energy Operator and Activation in One Box

For Moderate to High Traffic

The Record EZ36 Kit comes with everything needed to automate a 36" door in one box.

The kit includes an HA7, HA8 or HA9 low-profile operator, two push plates and 900 MHz wireless transmitters & receiver. Simply choose your operator, push or pull arm and color, and you are ready to install.



Kit includes

Two year warranty from date of shipment
(1) HA7, HA8 or HA9 operator
(2) square 4.5" push plates
(2) surface mount boxes
(2) 900 MHz transmitters
(1) 900 MHz receiver
Required decals to meet ANSI specifications

Key Features

Everything you need in one box
Non-handed
Easy installation
Opens easily during manual operation
UL325/UL10C certified

EZ36 Kit: Choose Color

Clear, Dark Bronze, Black (upon request)



Choose Arm

Push, Pull



In the box

Receiver, Two Transmitters,
Two Boxes, Two Push Plates



Low Energy Operators in Use

You may be pressed to find one of our operators around you in the world, and that's by design.

With headers starting as thin as 1.85 inches, these products convert your manual door to an automatic entrance without grabbing anyone's attention. That way all of the focus remains on your design and space.

As a matter of fact, our automatic doors can be seen across industries, locations, and use-cases. So whether you're catching a flight to a new destination, interviewing at a new tech company, or just picking up some flowers at your local farmers' market, you just might see us there.





Record USA INC.

4324 Phil Hargett Ct.
Monroe, NC 28110
USA

Fax: 704 289 2024
Toll Free: 800 438 1937
www.recorddoors.us

Headquartered in Switzerland, the Record group sells its products and services across the globe and is directly present with subsidiaries in many countries.

Part of ASSA ABLOY